Correspondence

http/urn:lsid:zoobank.org:pub:4256760F-1602-4469-ABCF-09ADF83CF81D

N. S. Anisimov¹⁾, V. G. Bezborodov²⁾. ON THE NORTHERN BORDER OF THE DISTRIBUTION OF *NEOCERAMBYX RADDEI* (COLEOPTERA, CERAMBYCIDAE) IN EAST ASIA. Far Eastern Entomologist. 2017. N 332: 22-24.

- 1) Institute of Geology and Natural Management Far East Branch of the Russian Academy of Sciences, Blagoveshchensk 675000, Russia. E-mail: havamal1@mail.ru
- 2) Amur Branch of Botanical Garden-Institute, Far East Branch of the Russian Academy of Sciences, Blagoveshchensk 675000, Russia. E-mail: cichrus@yandex.ru

Summary. The data on the distribution of *Neocerambyx raddei* Blessig, 1872 (Coleoptera, Cerambycidae) in East Asia are reviewed. The northernmost localities of this species are shown. The distribution of *N. raddei* in the Amurskaya oblast and Khabarovskii krai of Russia is confirmed by the material examined.

Key words: Coleoptera, Cerambycidae, area, distribution, Russia, East Asia.

H. C. Анисимов¹⁾, В. Г. Безбородов²⁾. О северной границе распространения *Neocerambyx raddei* (Coleoptera, Cerambycidae) в Восточной Азии // Дальневосточный энтомолог. 2017. N 332. C. 22-24.

Резюме. Обобщены данные по apeany *Neocerambyx raddei* Blessig, 1872 (Coleoptera, Cerambycidae) в Восточной Азии. Указаны самые северные точки его обнаружения. Приведен материал, подтверждающий распространение *N. raddei* на территории России в Хабаровском крае и Амурской области.

Longicorn beetle *Neocerambyx raddei* Blessig, 1872 (Coleoptera, Cerambycidae) was described from the south part of Primorskii krai in Russia (Blessig, 1872). This species is widely distributed in East Asia from the Russian Far East and Japan to North Vietnam (Lobanov *et al.*, 1982; Tsherepanov, 1981, 1996; Hua *et al.*, 2009; Löbl & Smetana, 2010; Nga *et al.*, 2014; Danilevsky, 2017). This species was recorded from Amur region in Russia northwards to Primorskii krai (Tsherepanov, 1996) but during the years of analysis of private and public collections we have not yet seen any confirmatory material. Based only on our oral report *N. raddei* was listed in the Red Data Book of Amurskaya oblast (Streltzov & Osipov, 2009). In this paper we present the data confirming distribution of *N. raddei* in Khabarovskii krai and in Amurskaya oblast, which are the northern boundary of its distribution in East Asia.

Neocerambyx raddei Blessig, 1872

MATERIAL. **Russia:** Amurskaya oblast, Arkharinskii district: Tarmanchukan, 07.VIII 2001, 1♂, leg. V.G. Bezborodov; Kundur, 27.VII.2003, 1♂, leg. V.G. Bezborodov; Khabarovskii krai, Vyazemskii district, Vyazemskii, 03.VIII 2002, 1♀, leg. S.Yu. Manko.

DISTRIBUTION. Russia (south parts of Amurskaya oblast and Khabarovskii krai, Primorskii krai); Japan (without the Ryukyu Islands); North and South Korea; China (Heilongjiang, Jilin, Liaoning, Hebei, Beijing, Shandong, Anhui, Tianjin, Chongqing, Shanxi,

Shaanxi, Hubei, Henan, Jiangsu, Sichuan, Yunnan, Guizhou, Hunan, Jiangxi, Zhejiang, Fujian; Taiwan); North Vietnam (Lao Cai and Cao Bang provinces) (Fig. 1).




Fig. 1. Distribution of Neocerambyx raddei.

REFERENCES

- Blessig, C. 1872. Zur Kenntniss der Kaferfauna Sud-ost-Sibiriens insbesondere des Amur-Landes. Longicornia. Horae societatis entomologicae Rossicae, 9(2): 161-260. [In German].
- Danilevsky, M.L. 2017. A check list of the longicorn beetles (Cerambycidae) of Russia. Available from: http://www.cerambycidae.net/russia.pdf (Accessed 26 February 2017).
- Hua, L.Z., Nara, H., Samuelson, G.A. & Lingafelter, S.W., 2009. *Iconography of Chinese Longicorn Beetles (1406 Species) in Color*. Sun Yat-sen University Press, Guangzhou. 474 pp.
- Lobanov, A.L., Danilevsky, M.L. & Murzin, S.V. 1982. Systematic list of longicorn beetles (Coleoptera, Cerambycidae) of the USSR. II. *Entomologicheskoe Obozrenie*, 61(2): 252–277. [In Russian].
- Löbl, I. & Smetana, A. (Eds.) 2010. Catalogue of Palaearctic Coleoptera, Vol. 6. Chrysomeloidea. Stenstrup, Apollo Books. 924 pp.
- Nga, C.T.Q., Long, K.D. & Thinh, T.H. 2014. New records of the tribe Cerambycini (Coleoptera: Cerambycidae: Cerambycinae) from Vietnam. *Tap Chi Hoc*, 36(4): 428–443.

- Streltzov, A.N. & Osipov, P.E. 2009. *Neocerambyx raddei* Blessig, 1872. P. 25. In: *The Red Data Book of Amurskaya Oblast: Rare and endangered species of animals, plants and mushrooms*. Izdatelstvo BGPU, Blagoveshchensk. 446 pp. [In Russian].
- Tsherepanov, A.I. 1981. Longicorn Beetles of North Asia (Cerambycinae). Nauka, Novosibirsk. 216 pp. [In Russian].
- Tsherepanov, A.I. 1996. 104. Fam. Cerambycidae Longicorn or Timber beetles. P. 56–140. In: Lehr, P.A. (Ed.). *Key to the insects of Russian Far East. Vol. III. Coleoptera. Pt. 3.* Dalnauka, Vladivostok. 556 pp. [In Russian].

© Far Eastern entomologist (Far East. entomol.) Journal published since October 1994.

Editor-in-Chief: S.Yu. Storozhenko

Editorial Board: A.S. Lelej, N.V. Kurzenko, M.G. Ponomarenko, E.A. Beljaev, V.A. Mutin,
E.A. Makarchenko, T.M. Tiunova, P.G. Nemkov, M.Yu. Proshchalykin, S.A. Shabalin
Address: Federal Scientific Center of the East Asia Terrestrial Biodiversity (former Institute of Biology and Soil Science), Far East Branch of the Russian Academy of Sciences, 690022, Vladivostok-22, Russia.

E-mail: storozhenko@biosoil.ru web-site: http://www.biosoil.ru/fee